

**Karen F. Heffler, MD**

**References Related to Early-Life Experiences and Child Development/Autism**

**Association of Early and Greater Screen Time with Autism Symptoms and Diagnosis:**

1. Kushima, M., Kojima, R., Shinohara, R., Horiuchi, S., Otawa, S., Ooka, T., Akiyama, Y., Miyake, K., Yokomichi, H., Yamagata, Z., & Japan Environment and Children's Study Group (2022). Association Between Screen Time Exposure in Children at 1 Year of Age and Autism Spectrum Disorder at 3 Years of Age: The Japan Environment and Children's Study. *JAMA pediatrics*, 176(4), 384–391. <https://doi.org/10.1001/jamapediatrics.2021.5778>
2. Heffler, K. F., Sienko, D. M., Subedi, K., McCann, K. A., & Bennett, D. S. (2020). Association of early-life social and digital media experiences with development of autism spectrum disorder-like symptoms. *Jama Pediatrics*, 174(7), 690-696. <https://doi.org/10.1001/jamapediatrics.2020.0230>
3. Chen, J. Y., Strodl, E., Wu, C. A., Huang, L. H., Yin, X. N., Wen, G. M., Sun, D. L., Xian, D. X., Chen, Y. J., Yang, G. Y., & Chen, W. Q. (2021). Screen time and autistic-like behaviors among preschool children in China. *Psychology, health & medicine*, 26(5), 607–620. <https://doi.org/10.1080/13548506.2020.1851034>
4. Chonchaiya, W., Nuntnarumit, P., & Pruksananonda, C. (2011). Comparison of television viewing between children with autism spectrum disorder and controls. *Acta Paediatrica*, 100(7), 1033-1037. <https://doi.org/10.1111/j.1651-2227.2011.02166.x>
5. Dong, H. Y., Wang, B., Li, H. H., Yue, X. J., & Jia, F. Y. (2021). Correlation Between Screen Time and Autistic Symptoms as Well as Development Quotients in Children With Autism Spectrum Disorder. *Frontiers in psychiatry*, 12, 619994. <https://doi.org/10.3389/fpsyg.2021.619994>
6. Slobodin, O., Heffler, K. F., & Davidovitch, M. (2019). Screen Media and Autism Spectrum Disorder: A Systematic Literature Review. *Journal of developmental and behavioral pediatrics : JDBP*, 40(4), 303–311. <https://doi.org/10.1097/DBP.0000000000000654>

**Improvements in Young Children's Autism/Social Symptoms with Screen Reduction and Focus on Social Interaction**

1. Heffler, K. F., Frome, L. R., Garvin, B., Bungert, L. M., & Bennett, D. S. (2022). Screen time reduction and focus on social engagement in autism spectrum disorder: A pilot study. *Pediatrics international : official journal of the Japan Pediatric Society*, 64(1), e15343. <https://doi.org/10.1111/ped.15343>
2. Sadeghi, S., Pouretemad, H., Khosrowabadi, R., Fathabadi, J., & Nikbakht, S. (2019). Behavioral and electrophysiological evidence for parent training in young children with autism symptoms and excessive screen-time. *Asian Journal Psychiatry*, 45, 7-12. <https://doi.org/10.1016/j.ajp.2019.08.003>
3. Zamfir, M. T. (2018). The consumption of virtual environment more than 4 hours/day, in the children between 0-3 years old, can cause a syndrome similar with the autism spectrum disorder. *Journal Romanian Literary Studies*, 13, 953-968.
4. Heffler KF, Frome LR, Gullo DF. Changes in Autism Symptoms Associated with Screen Exposure: Case Report of Two Young Children. *Psychiatry Research Case Reports*, 2022, 100059, ISSN 2773-0212. <https://doi.org/10.1016/j.psycr.2022.100059>
5. Dieu-Osika, S., Bossière, M. C., & Osika, E. (2020). Early Media Overexposure Syndrome Must Be Suspected in Toddlers Who Display Speech Delay With Autism-Like Symptoms. *Global pediatric health*, 7, 2333794X20925939. <https://doi.org/10.1177/2333794X20925939>

6. Numata-Uematsu, Y., Yokoyama, H., Sato, H., Endo, W., Uematsu, M., Nara, C., & Kure, S. (2018) Attachment disorder and early media exposure: Neurobehavioral symptoms mimicking autism spectrum disorder. *The Journal of Medical Investigation*, 65(3.4), 280-282. <https://doi.org/10.2152/jmi.65.280>
7. Kaku, S. M., Basheer, S., Venkatasubramanian, G., Bharath, R. D., Girimaji, S. C., & Srinath, S. (2017) Social experiential deprivation in autism spectrum disorders: A possible prognostic factor? *Asian Journal of Psychiatry*, 26, 44-45. <https://doi.org/10.1016/j.ajp.2017.01.021>
8. Harlé, B. (2019). Intensive early screen exposure as a causal factor for symptoms of autistic spectrum disorder: The case for «virtual autism». *Trends in Neuroscience and Education*, 17:100119. <https://doi.org/10.1016/j.tine.2019.10011>
9. Uhls, Y. T., Michikyan, M., Morris, J., Garcia, D., Small, G. W., Zgourou, E., & Greenfield, P. M. (2014). Five days at outdoor education camp without screens improves preteen skills and nonverbal emotion cues. *Computers in Human Behavior*, 39, 387-392. <https://doi.org/10.1016/j.chb.2014.05.036>

### **Early Screen Time Associations with Developmental, Behavioral, Negative Brain Structure/Function and Other Co-Occurring Findings in Autism**

1. Kerai, S., Almas, A., Guhn, M. et al. Screen time and developmental health: results from an early childhood study in Canada. *BMC Public Health* 22, 310 (2022). <https://doi.org/10.1186/s12889-022-12701-3>
2. Chonchaiya, W., Sirachairat, C., Vijakkhana, N., Wilaisakditipakorn, T., & Pruksananonda, C. (2015). Elevated background TV exposure over time increases behavioural scores of 18-month-old toddlers. *Acta Paediatrica*, 104(10), 1039-1046. <https://doi.org/10.1111/apa.13067>
3. Christakis, D. A., Zimmerman, F. J., DiGiuseppe, D. L., & McCarty C. A. (2004). Early television exposure and subsequent attentional problems in children. *Pediatrics*, 113(4), 708–713. <https://doi.org/10.1542/peds.113.4.708>
4. Corkin, M. T., et al. (2021). Preschool screen media exposure, executive functions and symptoms of inattention/hyperactivity. *Journal of Applied Developmental Psychology*, 73, e101237. <https://doi.org/10.1016/j.appdev.2020.101237>
5. Hutton, J. S., Dudley, J., Horowitz-Kraus, T., DeWitt, T., & Holland, S. K. (2020). Associations between screen-based media use and brain white matter integrity in preschool-aged children. *JAMA pediatrics*, 174(1), e193869. <https://doi.org/10.1001/jamapediatrics.2019.3869>
6. Madigan, S., Browne, D., Racine, N., Mori, C., & Tough, S. (2019). Association between screen time and children's performance on a developmental screening test. *JAMA pediatrics*, 173(3), 244–250. <https://doi.org/10.1001/jamapediatrics.2018.5056>
7. Munzer, T. G., Miller, A. L., Peterson, K. E., Brophy-Herb, H. E., Horodynski, M. A., Contreras, D., Sturza, J., Lumeng, J. C., & Radesky, J. (2018). Media exposure in low-income preschool-aged children is associated with multiple measures of self-regulatory behavior. *Journal of Developmental and Behavioral Pediatrics*, 39(4), 303–309. <https://doi.org/10.1097/DBP.0000000000000560>
8. Napier, C. (2014). How use of screen media affects the emotional development of infants. *Primary Health Care*, 24(2), 18-25. <https://doi:10.7748/phc2014.02.24.2.18.e8>
9. Nathanson, A. I., Aladé, F., Sharp, M. L., Rasmussen, E. E., & Christy, K. (2014). The relation between television exposure and executive function among preschoolers. *Developmental Psychology*, 50(5), 1497–1506. <https://doi.org/10.1037/a0035714>

10. Takeuchi, H., Taki, Y., Hashizume, H., Asano, K., Asano, M., Sassa, Y., Yokota, S., Kotozaki, Y., Nouchi, R., & Kawashima, R. (2015). The impact of television viewing on brain structures: cross-sectional and longitudinal analyses. *Cerebral cortex (New York, N.Y. : 1991)*, 25(5), 1188–1197. <https://doi.org/10.1093/cercor/bht>
11. Tomopoulos, S., Dreyer, B. P., Berkule, S., Fierman, A. H., Brockmeyer, C., & Mendelsohn, A. L. (2010). Infant media exposure and toddler development. *Archives of Pediatric & Adolescent Medicine*, 164(12), 1105-1111. <https://doi.org/10.1001/archpediatrics.2010.235>
12. van den Heuvel, M., Ma, J., Borkhoff, C. M., Koroshegyi, C., Dai, D., Parkin, P. C., Maguire, J. L., Birken, C. S., & TARGet Kids! Collaboration (2019). Mobile media device use is Associated with expressive language delay in 18-month-old children. *Journal of Developmental and Behavioral Pediatrics*, 40(2):99-104. <https://doi.org/10.1097/DBP.0000000000000630>
13. Zimmerman, F. J., Christakis, D. A. & Meltzoff, A. N. (2007). Associations between media viewing and language development in children under age 2 years. *The Journal of Pediatrics*, 151(4), 364-368. <https://doi.org/10.1016/j.jpeds.2007.04.071>

### **Parent Child Interaction Predicting Positive Developmental Outcomes**

1. Hedenbro, M., & Rydelius, P. A. (2014). Early interaction between infants and their parents predicts social competence at the age of four. *Acta Paediatrica*, 103(3):268-274. <https://doi.org/10.1111/apa.12512>
2. Page, M., Wilhelm, M. S., Gamble, W. C., & Card, N. A. (2010). A comparison of maternal sensitivity and verbal stimulation as unique predictors of infant social-emotional and cognitive development. *Infant Behavior & Development*, 33(1):101-110. <https://doi.org/10.1016/j.infbeh.2009.12.001>
3. Smith K. E., Landry, S. H., & Swank, P. R. (2006). The role of early maternal responsiveness in supporting school-aged cognitive development for children who vary in birth status. *Pediatrics*, 117(5):1608-1617. <https://doi.org/10.1542/peds.2005-1284>
4. Tamis-LeMonda, C. S., Bornstein, M. H., & Baumwell, L. (2001). Maternal responsiveness and children's achievement of language milestones. *Child Development*, 72(3):748-767. <https://doi.org/10.1111/1467-8624.00313>
5. Tomasello, M., & Farrar, M. J. (1986). Joint attention and early language. *Child Development*, 57(6):1454-1463

### **Impact of Screens on Parent Child Interaction**

1. Christakis, D. A., Gilkerson, J., Richards, J. A., Zimmerman, F. J., Garrison M. M., Xu, D., Gray, S. & Yapanel, U., (2009). Audible television and decreased adult words, infant vocalizations, and conversational turns: A population-based study. *Archives of Pediatrics & Adolescent Medicine*, 163(6):554-558. <https://doi.org/10.1001/archpediatrics.2009.61>
2. Kirkorian, H. L., Pempek, T. A., Murphy, L. A., Schmidt, M. E., & Anderson, D. R. (2009). The impact of background television on parent-child interaction. *Child Development*, 80(5), 1350-1359. <https://doi.org/10.1111/j.1467-8624.2009.01337.x>
3. Radesky, J. S., Kistin, C. J., Zuckerman, B., Nitzberg, K., Gross, J., Kaplan-Sanoff, M., Augustyn, M. & Silverstein, M. (2014). Patterns of mobile device use by caregivers and children during meals in fast food restaurants. *Pediatrics*, 133(4), e843-849. <https://doi.org/10.1542/peds.2013-3703>

## **Exposure of Young Children to Digital Media and Recommendations of the American Academy of Pediatrics**

1. Kabali, H. K., Irigoyen, M. M., Nunez-Davis, R., Budacki, J. G., Mohanty, S. H., Leister, K. P., & Bonner, R. L., Jr. (2015) Exposure and use of mobile media devices by young children. *Pediatrics*, 136(6):1044-1050. <https://doi.org/10.1542/peds.2015-215>
2. Rideout, V., & Robb, M. B. (2020). *The Common Sense census: Media use by kids age zero to eight, 2020*. San Francisco, CA: Common Sense Media.
3. Council on Communication and Media. (2016). Media and young minds. *Pediatrics*, 138(5), e20162591. <https://doi.org/10.1542/peds.2016-2591>.

## **Potential Mechanisms Relating Screen Exposure to Autism Symptoms and Preemptive Study**

1. Heffler, K. F., & Oestreicher, L. M. (2016). Causation model of autism: Audiovisual brain specialization in infancy competes with social brain networks. *Medical Hypotheses*, 91, 114-122. <https://doi.org/10.1016/j.mehy.2015.06.019>
2. Whitehouse, A., et al. (2021). Effect of Preemptive Intervention on Developmental Outcomes Among Infants Showing Early Signs of Autism: A Randomized Clinical Trial of Outcomes to Diagnosis. *JAMA pediatrics*, 175(11), e213298. <https://doi.org/10.1001/jamapediatrics.2021.3298>

## **Newer Studies Relating Atypical Auditory/Visual Processing and Visual Brain Development to Development of Autism** (see Heffler & Oestreicher 2016 article under mechanisms for earlier studies relating audiovisual abilities and audiovisual brain hyperconnectivity to autism).

1. Gliga, T., Bedford, R., Charman, T., Johnson, M. H., & BASIS Team (2015). Enhanced Visual Search in Infancy Predicts Emerging Autism Symptoms. *Current biology : CB*, 25(13), 1727–1730. <https://doi.org/10.1016/j.cub.2015.05.011>
2. Hazlett, H. C., Gu, H., Munsell, B. C., Kim, S. H., Styner, M., Wolff, J. J., Elison, J. T., Swanson, M. R., Zhu, H., Botteron, K. N., Collins, D. L., Constantino, J. N., Dager, S. R., Estes, A. M., Evans, A. C., Fonov, V. S., Gerig, G., Kostopoulos, P., McKinstry, R. C., Pandey, J., ... Statistical Analysis (2017). Early brain development in infants at high risk for autism spectrum disorder. *Nature*, 542(7641), 348–351. <https://doi.org/10.1038/nature21369>
3. Jao Keehn, R. J., Sanchez, S. S., Stewart, C. R., Zhao, W., Grenesko-Stevens, E. L., Keehn, B., & Müller, R. A. (2017). Impaired downregulation of visual cortex during auditory processing is associated with autism symptomatology in children and adolescents with autism spectrum disorder. *Autism research : official journal of the International Society for Autism Research*, 10(1), 130–143. <https://doi.org/10.1002/aur.1636>
4. Cheung, C. H. M., Bedford, R., Johnson, M. H., Charman, T., Gliga, T., & BASIS team (2018). Visual search performance in infants associates with later ASD diagnosis. *Developmental cognitive neuroscience*, 29, 4–10. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6675871/>